

Debug info

Timers

Category	Time	%	Count
total	0.073	100.00%	1
_init_base	0.006	8.22%	1
_init_db	0.012	16.44%	1
SQL QUERIES	0.006	8.22%	10
abstractsettings_GeneralSettings_get	0.003	4.11%	11
init modules	0.014	19.18%	1
plugin_init	0.001	1.37%	1
_init_hit	0.008	10.96%	1
_init_session	0.004	5.48%	1
_init_login	0.023	31.51%	1
shutdown	0.013	17.81%	1
Hit::get_remote_host	0.000	0.00%	1
convert_charset	0.000	0.00%	2

10 SQL queries executed in 0.006 seconds [scroll down to details](#)

Opcode cache: eAccelerator

Memory usage: 9.0 MB

Memory peak usage: 9.2 MB

Len of serialized \$cache_imgsize: 2

Len of serialized \$cache_File: 2

HTTP Response code: 200

Debug messages

[error](#) | [request](#) | [session](#) | [timer](#)

error:

Session: Session data corrupted!

connection_charset: 'latin1'

Serialized data was: --

```
['a:1:{s:22:\""crumb_latest_loginform\"";a:2:{i:0;N;i:1;s:43:\""fmSlab3w78F7R6ZM6SHQY3KkJgNcV5ia-1381041259\"";}}']--
```

request:

vars: vars: Getting ReqURI from REQUEST_URI

vars: \$ReqHost: http://nerurkars.in

vars: \$ReqURI: /weblogs/htsrv/login.php

vars: \$ReqPath: /weblogs/htsrv/login.php

Hit: detect_referer(): self referer (://nerurkars.in)

Hit: IP: 27.34.248.66
Hit: UserAgent: Mozilla/5.0 (compatible; MSIE 10.0; Windows NT 6.1; WOW64; Trident/6.0)
Hit: Referer: 'http://nerurkars.in/weblogs/htsrv/login.php'; type=self
Hit: Remote Host:
Session: cookie_domain=.nerurkars.in
Session: cookie_path=/weblogs/
Session: Session ID received from cookie: 2
Session: Session ID is valid.
Session: Session user_ID: NULL
Login: login: 'abhijit'
Login: pass: not empty
Login: User is trying to log in.
Session: Session data[crumb_latest_loginform] updated. Expire in: -.
Hit: Recording the hit.
Hit:detect_useragent(): Agent name: msie
Hit:detect_useragent(): Agent platform: win
Session: Session data saved!

session:

Session: Session data corrupted!
connection_charset: 'latin1'
Serialized data was: --
[a:1:{s:22:\""crumb_latest_loginform\"";a:2:{i:0;N;i:1;s:43:\""fmSlab3w78F7R6ZM6SHQY3KkJgNcV5ia-1381041259\"";}}]--

timer:

total resumed at 0.000
 _init_base resumed at 0.000
 _init_base paused at 0.006 (+0.0061)
 _init_db resumed at 0.000
 _init_db paused at 0.012 (+0.0116)
 init modules resumed at 0.000
 init modules paused at 0.014 (+0.0138)
 plugin_init resumed at 0.000
 plugin_init paused at 0.001 (+0.0008)
 _init_hit resumed at 0.000
 Hit::get_remote_host resumed at 0.000
 Hit::get_remote_host paused at 0.000 (+0.0000)
 _init_hit paused at 0.008 (+0.0082)
 _init_session resumed at 0.000
 _init_session paused at 0.004 (+0.0042)
 _init_login resumed at 0.000
 shutdown resumed at 0.000

DB

DB Username: nerurkar_bvlt1

DB Database: nerurkar_bvlt1
DB Host: localhost
DB tables prefix: evo_
DB connection charset:

DB queries: 10

Query #1: we do this in DEBUG mode only

```
SELECT VERSION()  
Rows: 1 – Time: 0.0002s (2.83%)
```

Query #2: we do this in DEBUG mode only

```
SET sql_mode = "TRADITIONAL"  
Rows: 0 – Time: 0.0001s (1.46%)
```

Query #3:

```
SELECT set_name, set_value  
FROM evo_settings  
Rows: 12 – Time: 0.0027s (42.49%)
```

Query #4: Loading plugin events

```
SELECT pevt_plug_ID, pevt_event  
FROM evo_pluginevents  
INNER JOIN evo_plugins ON pevt_plug_ID = plug_ID  
WHERE pevt_enabled > 0  
AND plug_status = 'enabled'  
ORDER BY plug_priority, plug_classname  
Rows: 18 – Time: 0.0005s (7.63%)
```

Query #5:

```
SELECT loc_locale, loc_charset, loc_datefmt, loc_timefmt, loc_startofweek,  
loc_name, loc_messages, loc_priority, loc_enabled  
FROM evo_locales  
ORDER BY loc_priority  
Rows: 1 – Time: 0.0010s (15.76%)
```

Query #6:

```
SET NAMES latin1  
Rows: 0 – Time: 0.0001s (1.40%)
```

Query #7:

```
SELECT sess_ID, sess_key, sess_data, sess_user_ID
  FROM evo_sessions
 WHERE sess_ID = '2'
       AND sess_key = 'j2w7BdQHxsQutrzzqNbjzFvcfXtnOAM5'
       AND UNIX_TIMESTAMP(sess_lastseen) > 1380436653
```

Rows: 1 – Time: 0.0003s (4.00%)

Query #8:

```
SELECT dom_ID
  FROM evo_basedomains
 WHERE dom_name = 'nerurkars.in'
```

Rows: 1 – Time: 0.0007s (11.30%)

Query #9: Record the hit

```
INSERT INTO evo_hitlog(
  hit_sess_ID, hit_datetime, hit_uri, hit_referer_type,
  hit_referer, hit_referer_dom_ID, hit_keyphrase_keyp_ID,
hit_serprank, hit_blog_ID, hit_remote_addr, hit_agent_type )
  VALUES( '2', FROM_UNIXTIME(1381041453), '/weblogs/htsrv/login.php',
'self', 'http://nerurkars.in/weblogs/htsrv/login.php', 1, NULL, NULL, NULL,
'27.34.248.66', 'browser'
  )
```

Rows: 1 – Time: 0.0002s (3.33%)

Query #10: Session::dbsave()

```
UPDATE evo_sessions SET
  sess_hitcount = sess_hitcount + 1,
  sess_lastseen = '2013-10-06 12:07:33',
  sess_data =
'a:1:{s:22:\\"crumb_latest_loginform\\";a:2:{i:0;N;i:1;s:43:\\"TQZ1MVUBWVYHQmB
Pso70MVKXdn485Pwo-1381041453\\";}}',
  sess_ipaddress = '27.34.248.66',
  sess_key = 'j2w7BdQHxsQutrzzqNbjzFvcfXtnOAM5'
 WHERE sess_ID = 2
```

Rows: 1 – Time: 0.0002s (3.81%)

Total rows: 36

Measured time: 0.0063s

Profiled time: 0.0000s