

PHP Version 5.1.6

System	Linux hie.teleinteractive.net 2.6.18-128.el5 #1 SMP Wed Dec 17 11:42:39 EST 2008 i686
Build Date	Oct 25 2011 06:24:33
Configure Command	'./configure' '--build=i386-redhat-linux-gnu' '--host=i386-redhat-linux-gnu' '--target=i386-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/usr/com' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-curl' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--enable-gd-native-ttf' '--without-gdbm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-png' '--with-pspell' '--with-expat-dir=/usr' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--enable-track-vars' '--enable-trans-sid' '--enable-yp' '--enable-wddx' '--with-kerberos' '--enable-ucd-snmp-hack' '--with-unixODBC=shared,/usr' '--enable-memory-limit' '--enable-shmop' '--enable-calendar' '--enable-dbx' '--enable-dio' '--with-mime-magic=/usr/share/file/magic.mime' '--without-sqlite' '--with-libxml-dir=/usr' '--with-xml' '--with-system-tzdata' '--with-apxs2=/usr/sbin/apxs' '--without-mysql' '--without-gd' '--without-odbc' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-pdo' '--disable-xmlreader' '--disable-xmlwriter'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
additional .ini files parsed	/etc/php.d/dbase.ini, /etc/php.d/dom.ini, /etc/php.d/gd.ini, /etc/php.d/imap.ini, /etc/php.d/ioncube-loader.ini, /etc/php.d/dap.ini, /etc/php.d(mbstring.ini, /etc/php.d/mysql.ini, /etc/php.d/mysql.ini, /etc/php.d pdo.ini, /etc/php.d pdo_mysql.ini, /etc/php.d pdo_sqlite.ini, /etc/php.d sqlite.ini, /etc/php.d xmlreader.ini, /etc/php.d xmlwriter.ini, /etc/php.d xsl.ini
PHP API	20041225
PHP Extension	20050922
Zend Extension	220051025
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, http, ftp, compress.bzip2, compress.zlib, https, ftps
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.* , consumed, convert.iconv.* , bzip2.* , zlib.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.1.0, Copyright (c) 1998-2006 Zend Technologies
 with the ionCube PHP Loader v4.0.7, Copyright (c) 2002-2011, by ionCube Ltd.

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error-prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	2047	2047
expose_php	Off	Off
extension_dir	/usr/lib/php/modules	/usr/lib /php/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700

highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	60	60
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	256M	256M
open_basedir	/var/www/vhosts/teleinteractive.net/subdomains/press /htdocs/:/tmp/:/var/www/vhosts/teleinteractive.net /subdomains/press/httpsdocs/:/tmp/	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	12M	12M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	On	On
register_long_arrays	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
safe_mode	Off	On
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin /sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off

track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	10M	10M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache
Apache API Version	20051115
Server Administrator	iascadmin@pacbell.net
Hostname:Port	press.teleinteractive.net:80
User/Group	apache(48)/48
Max Requests	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
Timeouts	Connection: 120 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core prefork http_core mod_so mod_auth_basic mod_auth_digest mod_authn_file mod_authn_alias mod_authn_anon mod_authn_dbm mod_authn_default mod_authz_host mod_authz_user mod_authz_owner mod_authz_groupfile mod_authz_dbm mod_authz_default util_ldap mod_authnz_ldap mod_include mod_log_config mod_logio mod_env mod_ext_filter mod_mime_magic mod_expires mod_deflate mod_headers mod_usertrack mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_proxy mod_proxy_balancer mod_proxy_ftp mod_proxy_http mod_proxy_connect mod_cache mod_suexec mod_disk_cache mod_file_cache mod_mem_cache mod_cgi mod_version mod_jk mod_ssl mod_auth_mysql mod_bw mod_fcgid mod_perl mod_php5 mod_proxy_ajp mod_python

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
PP_CUSTOM_PHP_INI	/var/www/vhosts/press.teleinteractive.net/etc/php.ini

HTTP_HOST	press.teleinteractive.net
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.8; rv:22.0) Gecko/20100101 Firefox/22.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_DNT	1
HTTP_COOKIE	cookietiaPresssession=2907797_bE1ykC2sZhdeJeHkkWEp4iDyRNt1LSlv; cookieb2evosession=7977310_epSbcyclgmt2tScaA3Vuv2zuWG6aCRL
HTTP_CONNECTION	keep-alive
PATH	/sbin:/usr/sbin:/bin:/usr/bin
SERVER_SIGNATURE	<address>Apache Server at press.teleinteractive.net Port 80</address>
SERVER_SOFTWARE	Apache
SERVER_NAME	press.teleinteractive.net
SERVER_ADDR	66.135.50.193
SERVER_PORT	80
REMOTE_ADDR	108.84.153.48
DOCUMENT_ROOT	/var/www/vhosts/teleinteractive.net/subdomains/press/httpdocs
SERVER_ADMIN	iascadmin@pacbell.net
SCRIPT_FILENAME	/var/www/vhosts/teleinteractive.net/subdomains/press/httpdocs/install /phpinfo.php
REMOTE_PORT	47595
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/install/phpinfo.php
SCRIPT_NAME	/install/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /install/phpinfo.php HTTP/1.1
Host	press.teleinteractive.net
User-Agent	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.8; rv:22.0) Gecko/20100101 Firefox/22.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-US,en;q=0.5
Accept-Encoding	gzip, deflate
DNT	1
Cookie	cookietiaPresssession=2907797_bE1ykC2sZhdeJeHkkWEp4iDyRNt1LSlv; cookieb2evosession=7977310_epSbcyclgmt2tScaA3Vuv2zuWG6aCRL
Connection	keep-alive

HTTP Response Headers	
X-Powered-By	PleskLin
Connection	close
Transfer-Encoding	chunked
Content-Type	text/html; charset=iso-8859-1

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled
------------------	---------

ctype

ctype functions	enabled
-----------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.15.5 OpenSSL/0.9.8b zlib/1.2.3 libidn/0.6.5

date

date/time support	enabled
Timezone Database Version	0.system
Timezone Database	internal
Default timezone	America/Los_Angeles

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	no value	no value

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5 2006/04/10 18:23:24 helly Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.2.1
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
------------------------	---------

gmp

gmp support	enabled
--------------------	---------

hash

hash support	enabled
Hashing Engines	md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.5

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2004
SSL Support	enabled
Kerberos Support	enabled

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.161.2.3 2006/01/01 12:50:08 sniper Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20343
SASL Support	Enabled

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	3.7.1

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mime_magic

mime_magic support	invalid magic file, disabled
---------------------------	------------------------------

Directive	Local Value	Master Value
mime_magic.debug	Off	Off
mime_magic.magicfile	/usr/share/file/magic.mime	/usr/share/file/magic.mime

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.77
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql

MYSQL_LIBS	-L/usr/lib/mysql -lmysqlclient	
Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.77
Client API header version	5.0.77
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.6 06-Feb-2006

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.0.77
---	---------------

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6 2006/01/01 12:50:12 sniper Exp \$
SQLite Library	3.3.6

posix

Revision	\$Revision: 1.70.2.3 \$
-----------------	-------------------------

pspell

PSpell Support	enabled
-----------------------	----------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33 2006/03/29 14:28:42 tony2001 Exp \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>

session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php/session	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22 \$
Schema support	enabled

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException,

ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException
--

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.166.2.13 2006/04/18 14:30:15 iliaa Exp \$
SQLite Library	2.8.17
SQLite Encoding	UTF-8

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3 \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

xmlreader

XMLReader	enabled
------------------	----------------

xmlwriter

XMLWriter	enabled
------------------	----------------

xsl

XSL	enabled
libxslt Version	1.1.17
libxslt compiled against libxml Version	2.6.26
EXSLT	enabled
libexslt Version	1.1.17

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name
dbase
ionCube Loader
sysvsem
sysvshm

Environment

Variable	Value
MONIT_DATE	Thu, 04 Jul 2013 00:35:02 -0700
MONIT_HOST	hie.teleinteractive.net
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/etc/rc.d/init.d
LANG	C
MONIT_PROCESS_PID	0
MONIT_EVENT	Started
MONIT_PROCESS_MEMORY	0
SHLVL	2
MONIT_PROCESS_CPU_PERCENT	0
MONIT_SERVICE	apache
MONIT_PROCESS_CHILDREN	0
—	/usr/sbin/httpd

PHP Variables

Variable	Value
PHP_SELF	/install/phpinfo.php
_REQUEST["cookietiaPresssession"]	2907797_bE1ykC2sZhdeJeHkkWEp4iDyRNt1LSlv
_REQUEST["cookieb2evosession"]	7977310_epSbcyclgmt2tScaA3Vuv2zuWG6aCRL
_COOKIE["cookietiaPresssession"]	2907797_bE1ykC2sZhdeJeHkkWEp4iDyRNt1LSlv
_COOKIE["cookieb2evosession"]	7977310_epSbcyclgmt2tScaA3Vuv2zuWG6aCRL
_SERVER["PP_CUSTOM_PHP_INI"]	/var/www/vhosts/press.teleinteractive.net/etc/php.ini
_SERVER["HTTP_HOST"]	press.teleinteractive.net
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10.8; rv:22.0) Gecko/20100101 Firefox/22.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_DNT"]	1

_SERVER["HTTP_COOKIE"]	cookietaPresssession=2907797_bE1ykC2sZhdeJeHkkWEp4iDyRNt1LSlv; cookieb2evosession=7977310_epSbcyclgmt2tScaA3Vuv2zuWG6aCRL
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache Server at press.teleinteractive.net Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	press.teleinteractive.net
_SERVER["SERVER_ADDR"]	66.135.50.193
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	108.84.153.48
_SERVER["DOCUMENT_ROOT"]	/var/www/vhosts/teleinteractive.net/subdomains/press/httpdocs
_SERVER["SERVER_ADMIN"]	iascadmin@pacbell.net
_SERVER["SCRIPT_FILENAME"]	/var/www/vhosts/teleinteractive.net/subdomains/press/httpdocs/install /phpinfo.php
_SERVER["REMOTE_PORT"]	47595
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/install/phpinfo.php
_SERVER["SCRIPT_NAME"]	/install/phpinfo.php
_SERVER["PHP_SELF"]	/install/phpinfo.php
_SERVER["REQUEST_TIME"]	1373231245
_ENV["MONIT_DATE"]	Thu, 04 Jul 2013 00:35:02 -0700
_ENV["MONIT_HOST"]	hie.teleinteractive.net
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_ENV["PWD"]	/etc/rc.d/init.d
_ENV["LANG"]	C
_ENV["MONIT_PROCESS_PID"]	0
_ENV["MONIT_EVENT"]	Started
_ENV["MONIT_PROCESS_MEMORY"]	0
_ENV["SHLVL"]	2
_ENV["MONIT_PROCESS_CPU_PERCENT"]	0
_ENV["MONIT_SERVICE"]	apache
_ENV["MONIT_PROCESS_CHILDREN"]	0
ENV[""]	/usr/sbin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.